

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S43 and (((position displacement) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)) and ((force load stress strain pressure) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/22 09:45
		S37 and (grip\$5 latch\$5 pull\$8 manual hand)	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 09:38
		"24" "25"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 12:12
		S3 and ((force load stress strain) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)))ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 11:21
		296/210-225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 10:58
		296/98-225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 10:54
		(296/98-225).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/09 10:53
S1	12265	296/98-145.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 11:03
S2	13	296/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 10:59
S3	12271	S1 S2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 11:04

S4	7	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 10:56
S5	4352	296/210-216.09.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 11:03
S6	12265	S1 S5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 11:03
S7	7	S3 and (((position displacement) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)) and ((force load stress strain pressure) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/22 09:57
S8	2	("4749193"   "5839778").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 12:08
S9	24	("2741503"   "2761121"   "2770489"   "2895764"   "2916327"   "3089719"   "3375037"   "3425742"   "3649960"   "3779332"   "4191068"   "4196415"   "4203039"   "4278922"   "4465997"   "4664436").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 11:15
S10	16	("4749193").URPN.	USPAT	OR	ON	2004/11/09 11:16
S11	4	S3 and ((force load stress strain) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 11:22
S12	0	S3 and ((force load stress strain) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 11:22
S13	9	("4296570"   "4910445"   "4969388"   "5110175"   "5335926"   "5451849"   "5706713"   "5724878"   "6114819").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 11:25

S14	4	("6273492").URPN.	USPAT	OR	ON	2004/11/09 11:33
S15	6495	73/862.\$3.ccls.	USPAT	OR	ON	2004/11/09 11:33
S16	1106	S15 and (automobile vehicle car)	USPAT	OR	ON	2004/11/09 11:33
S17	904	S16 and (convertible power electric roof top hood)	USPAT	OR	ON	2004/11/09 11:35
S18	8	S16 and (convertible power electric) near4 (roof top hood)	USPAT	OR	ON	2004/11/09 11:36
S19	0	S15 and (convertible near3 (top hood roof))	USPAT	OR	ON	2004/11/09 11:37
S20	292	((convertible) near2 (top roof)) with (vehicle automobile car)).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 12:09
S21	250	((convertible) near2 (top roof)) with (vehicle automobile car)).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 12:10
S22	404	((convertible) near2 (top roof)) with (vehicle automobile car)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 12:10
S23	581	S20 S21 S22	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 12:10
S24	10	S23 and ((force load stress strain pressure) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 12:11
S25	5	S23 and ((force load stress strain pressure) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 12:11
S26	11	S24 S25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 12:12
S27	23	("2128849"   "2169340"   "2331603"   "2346387"   "2622400"   "2704226"   "4601641"   "4605359"   "4627793"   "4776768"   "4976106"   "5187933"   "5533334"   "5542823"   "5682807"   "5724878"   "6089248").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 12:27

S28	23	(US-6089248-\$ or US-5724878-\$ or US-5682807-\$ or US-5542823-\$ or US-5533334-\$ or US-5187933-\$ or US-4976106-\$ or US-4776768-\$ or US-4627793-\$ or US-4605359-\$ or US-4601641-\$ or US-2704226-\$ or US-2622400-\$ or US-2346387-\$ or US-2331603-\$ or US-2169340-\$ or US-2128849-\$).did. or (US-2704226-\$ or US-2622400-\$ or US-2346387-\$ or US-2331603-\$ or US-2169340-\$ or US-2128849-\$). did.	USPAT; USOCR	OR	ON	2004/11/09 12:27
S29	4	("6299233").URPN.	USPAT	OR	ON	2004/11/09 12:28
S30	37	((convertible power) near3 (top roof)) near6 (evaluat\$5 detect\$4 test\$4 simulat\$5 measur\$4 monitor\$4 determina\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 12:40
S31	24	S30 and (vehicle automobile car)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 13:31
S32	5571	73/862.381-862.382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 13:32
S33	5542	73/862.381-862.69.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 13:32
S34	718	S32 and ((position displacement) and (force stress strain pressure load)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 13:33
S35	2	S34 and (convertible sliding power folding) near3 (roof top)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 13:35
S36	59	S34 and (car automobile vehicle). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/09 13:36
S37	9	(US-20010009356-\$).did. or (US-4749193-\$ or US-5375418-\$ or US-6054821-\$ or US-6267432-\$ or US-6273492-\$ or US-6288511-\$ or US-6299233-\$ or US-6454344-\$). did.	US-PGPUB; USPAT	OR	ON	2004/11/22 09:34
S38	292	((convertible) near2 (top roof)) with (vehicle automobile car)).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 10:18

S39	250	((convertible) near2 (top roof)) with (vehicle automobile car)).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 09:36
S40	406	((convertible) near2 (top roof)) with (vehicle automobile car)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 09:36
S41	583	S38 S39 S40	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 09:36
S42	6	S37 and (grip\$5 latch\$5 pull manual hand)	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 09:42
S43	384	S41 and (grip\$5 latch\$5 pull manual hand)	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 09:42
S44	110	S43 and (grip\$5 latch\$5 pull manual hand).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 09:42
S45	24	S43 and ((position displacement) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/22 09:57
S46	7	S43 and ((force load stress strain pressure) near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/22 10:01
S47	1	S41 and (((amount required) near3 (force load stress strain pressure)) with (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/22 10:03
S48	1	((convertible) near2 (top roof)) near5 (manual) with (vehicle automobile car)).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 10:19
S49	6	((convertible) near2 (top roof)) near5 (manual) with (vehicle automobile car))	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 10:21
S50	11	(US-20010009356-\$ or US-20010005090-\$).did. or (US-4749193-\$ or US-5375418-\$ or US-6054821-\$ or US-6267432-\$ or US-6273492-\$ or US-6288511-\$ or US-6299233-\$ or US-6454344-\$ or US-5772274-\$).did.	US-PGPUB; USPAT	OR	ON	2004/11/22 10:33

S51	1	S50 and (audible noise sound) near5 (top roof slid\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/22 10:34
S52	30	S41 and (audible acoustic\$3 noise sound) near5 (open\$3 close\$3 top roof slid\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/22 10:35
S53	10	("4720992"   "5208483"   "5208866"   "5225747"   "5297065"   "5483692"   "5550992"   "5677960"   "5680468"   "5950722").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/22 10:45